



Contribution ID: 156

Type: Poster

High-resolution spectroscopy and diffraction at TRISP

Wednesday, 11 December 2019 15:40 (20 minutes)

We present the capabilities of TRISP both for high-resolution spectroscopy and diffraction and show typical experimental examples. TRISP is a thermal three axis spectrometer incorporating the resonant spin-echo technique. Typical applications include the measurement of linewidths of phonons and spin excitations in an energy range 0.5-50meV, and the energy width of quasi-elastic scattering, originating, for example, from critical magnetic fluctuations. Neutron Larmor diffraction is a high-resolution technique which permits the measurement of lattice spacings d_{hkl} and their distribution Δd_{hkl} . The latter arises, for example, from microstrains, magnetostriction, structural and magnetic domains, or from a small splitting of Bragg peaks, resulting from distortions of the crystal lattice. The resolution of Larmor diffraction at TRISP is 10^{-6} (relative) for the lattice spacing and one order of magnitude less for the distribution width.

Primary author: Dr KELLER, Thomas (MPI for Solid State Research)

Co-authors: Dr HEPTING, Matthias (MPI for Solid State Research); TREPKA, Heiko (MPI for Solid State Research); TRALMER, Franz (MPI for Solid State Research); Prof. KEIMER, Bernhard (MPI for Solid State Research)

Presenter: Dr KELLER, Thomas (MPI for Solid State Research)

Session Classification: Poster session

Track Classification: Quantum Phenomena