



Contribution ID: 17

Type: Poster

Surface distortion of Fe dot-decorated TiO₂ nanotubular templates using time-of-flight grazing incidence small angle scattering

Wednesday, December 9, 2020 4:10 PM (20 minutes)

Physical properties of nanoclusters, nanostructures and self-assembled nanodots, which in turn are concomitantly dependent upon the morphological properties, can be modulated for functional purposes. Here, in this article, magnetic nanodots of Fe on semiconductor TiO₂ nanotubes (TNTs) are investigated with time-of-flight grazing incidence small-angle neutron scattering (TOF-GISANS) as a function of wavelength, chosen from a set of three TNT templates with different correlation lengths. The results are found corroborating with the localized scanning electron microscopy (SEM) images. As we probe the inside and the near-surface region of the Fe-dotted TNTs with respect to their homogeneity, surface distortion and long-range order using TOF-GISANS, gradual aberrations at the top of the near-surface region are identified. Magnetization measurements as a function of temperature and field do not show a typical ferromagnetic behavior but rather a supermagnetic one that is expected from a nonhomogeneous distribution of Fe-dots in the intertubular crevasses. Scientific Reports | (2020) 10:4038 | <https://doi.org/10.1038/s41598-020-60899-2>

Primary authors: Dr PAUL, Neelima (Technical University of Munich, Heinz Maier-Leibnitz Zentrum (MLZ)); MOULIN, Jean-Francois; MANGIAPIA, Gaetano (German Engineering Materials Science Centre (GEMS) am Heinz Maier-Leibnitz Zentrum (MLZ)); KRIELE, Armin; MÜLLER-BUSCHBAUM, Peter (TU München, Physik-Department, LS Funktionelle Materialien); OPEL, Matthias (Walther-Meißner-Institut); PAUL, Amitesh

Presenter: PAUL, Amitesh

Session Classification: Joint poster session of MLZ User Meeting and DN2020

Track Classification: UM: Materials Science