



Contribution ID: 92

Type: **Poster**

The zero step for degrading perovskite solar cells: What atmosphere should we choose?

Wednesday, 9 December 2020 17:40 (20 minutes)

The power conversion efficiency (PCE) of perovskite solar cells (PSCs) reached the champion value of 25.2 %, making this technique competitive with commercial silicon solar cells. Despite such advantages, the application of PSCs is currently limited by combining high performance and operational stability, because PCE of PSCs can degrade due to the presence of temperature, light, humidity, and oxygen. So far, the degradation research on PSCs is carried out without having an established standard protocol. Therefore, it is necessary to establish a standard protocol for the long-term degradation of PSCs. In this respect, we investigate degradation processes of PSCs under both, AM 1.5G and different atmosphere conditions with in-situ grazing incidence wide-angle X-ray scattering (GIWAXS) and grazing incidence small-angle X-ray scattering (GISAXS). With these approaches, we can follow the evolution of characteristic structures and of the inner morphology under the respective operational conditions. After understanding the degradation mechanisms upon different atmospheres (nitrogen and vacuum), we can suggest a reasonable atmosphere, which enters the protocol for the standard aging routine to guide future industrial development.

Primary authors: GUO, Renjun (Physics E13, Technical University in Munich); CHEN, Wei (Technische Universität München); REB, Lennart (TUM E13); YIN, Shanshan; LI, Nian; SCHEEL, Manuel (TUM E13); OECHSLE, Anna-Lena; Dr SCHWARTZKOP, Matthias; Prof. V. ROTH, Stephan; MÜLLER-BUSCHBAUM, Peter (TU München, Physik-Department, LS Funktionelle Materialien)

Presenter: GUO, Renjun (Physics E13, Technical University in Munich)

Session Classification: Joint poster session of MLZ User Meeting and DN2020

Track Classification: UM: Materials Science