



Contribution ID: 236

Type: **Poster**

Liquid dynamics of phase-change materials

Wednesday, December 9, 2020 5:40 PM (20 minutes)

Phase-change materials can be rapidly and reversibly switched between the amorphous and crystalline states in a few nanoseconds. They have been successfully employed for non-volatile phase-change memory applications. However, the dynamics of atomic rearrangement processes and their temperature dependence, which govern their ultrafast switching, are not fully understood. Here, using quasi-elastic neutron scattering, we investigate the liquid-state dynamics of a phase-change material $\text{Ge}_{15}\text{Sb}_{85}$. With time-of-flight spectroscopy, we measured dynamic structure factors as a function of temperature. The characteristic relaxation times can be extracted at the structure factor maximum, and the mean self-diffusivity of atoms are determined at the low- q range. The relaxation times of $\text{Ge}_{15}\text{Sb}_{85}$ are smallest compared with the other phase-change materials such as $\text{Ge}_2\text{Sb}_2\text{Te}_5$. The mean self-diffusivity of $\text{Ge}_{15}\text{Sb}_{85}$ is higher than Te-rich alloys. This indicates that Sb-rich alloys have faster liquid dynamics than Te-rich alloys. This may partially explain the difference in their crystal growth velocities. We show that the relaxation times extracted from neutron scattering are proportional to macroscopic viscosities. A breakdown of Stokes-Einstein relation is observed in all investigated compositions, which can be attributed to the formation of locally favored structures. The latter is likely associated with the liquid-liquid transitions revealed by a recent femtosecond X-ray diffraction study.

Primary author: Prof. WEI, Shuai (Aarhus University)

Presenter: Prof. WEI, Shuai (Aarhus University)

Session Classification: Joint poster session of MLZ User Meeting and DN2020

Track Classification: UM: Materials Science