



Contribution ID: 236

Type: **Poster**

## Liquid dynamics of phase-change materials

*Wednesday 9 December 2020 17:40 (20 minutes)*

Phase-change materials can be rapidly and reversibly switched between the amorphous and crystalline states in a few nanoseconds. They have been successfully employed for non-volatile phase-change memory applications. However, the dynamics of atomic rearrangement processes and their temperature dependence, which govern their ultrafast switching, are not fully understood. Here, using quasi-elastic neutron scattering, we investigate the liquid-state dynamics of a phase-change material Ge<sub>15</sub>Sb<sub>85</sub>. With time-of-flight spectroscopy, we measured dynamic structure factors as a function of temperature. The characteristic relaxation times can be extracted at the structure factor maximum, and the mean self-diffusivity of atoms are determined at the low- $q$  range. The relaxation times of Ge<sub>15</sub>Sb<sub>85</sub> are smallest compared with the other phase-change materials such as Ge<sub>2</sub>Sb<sub>2</sub>Te<sub>5</sub>. The mean self-diffusivity of Ge<sub>15</sub>Sb<sub>85</sub> is higher than Te-rich alloys. This indicates that Sb-rich alloys have faster liquid dynamics than Te-rich alloys. This may partially explain the difference in their crystal growth velocities. We show that the relaxation times extracted from neutron scattering are proportional to macroscopic viscosities. A breakdown of Stokes-Einstein relation is observed in all investigated compositions, which can be attributed to the formation of locally favored structures. The latter is likely associated with the liquid-liquid transitions revealed by a recent femtosecond X-ray diffraction study.

**Primary author:** Prof. WEI, Shuai (Aarhus University)

**Presenter:** Prof. WEI, Shuai (Aarhus University)

**Session Classification:** Joint poster session of MLZ User Meeting and DN2020

**Track Classification:** UM: Materials Science