

Contribution ID: 152

Type: Talk

## Insights into the (de)lithiation mechanism of core-shell layered Li(Ni,Co,Mn)O2 cathode materials during cycling

Tuesday, 8 December 2020 14:05 (25 minutes)

Layered LiNixCoyMn1-x-yO2 (NCM) oxides with core-shell morphology have been found to be prospective cathode candidates for advanced lithium-ion batteries. The electrochemical performances of NCM cathodes are tied to the transition metal relative ratios, thereby it is difficult to determine the real structure of core-shell NCM materials and to understand the synergistic effect of core and shell upon cycling. Herein, high-resolution neutron powder diffraction at the instrument SPODI was used to investigate the structure of synthesized NCM compound. The results show that the as-prepared NCM material consists of an inner Ni-rich core and a Mnrich shell on a secondary particle level. Both core and shell possess a layered  $\alpha$ -NaFeO2-type structure with the same space group (R3<sup>-</sup>m) while a slight difference in lattice parameter. The (de)lithiation mechanism of core-shell NCM cathode materials was investigated by in situ synchrotron-based X-ray diffraction and absorption spectroscopy. These findings contribute to prepare layered Ni-based oxides with good electrochemical performances.

**Primary authors:** HUA, Weibo (Karlsruhe Institute of Technology (KIT)); SCHWARZ, Björn (Karlsruher Institute of Technology); SENYSHYN, Anatoliy; KNAPP, Michael (KIT, IAM-ESS); INDRIS, Sylvio (Karlsruhe Institute of Technology); EHRENBERG, Helmut (KIT)

Presenter: HUA, Weibo (Karlsruhe Institute of Technology (KIT))

Session Classification: MLZ Users 2020 - Structure Research

Track Classification: UM: Structure Research