



Contribution ID: 8

Type: **Talk (17 + 3 min)**

Behaviour of the Jahn-Teller effect in NaNiO_2 with changing temperature and pressure

Tuesday, 21 March 2023 11:50 (20 minutes)

The structural chemistry of NaNiO_2 is driven by the Jahn-Teller distortion. NaNiO_2 consists of alternating layers of edge-sharing NiO_6 and NaO_6 octahedra. The high-temperature phase has a rhombohedral symmetry, but with cooling there is a monoclinic distortion, as a result of a cooperative Jahn-Teller-driven elongation of the NiO_6 octahedra, with the axis of elongation parallel for all octahedra. This JT effect is common in battery materials such as LiNiO_2 and its Co-, Mn-, and Al-doped solid solutions, however, these exhibit non-cooperative behaviour, with no JT effect seen by diffraction, although the JT distortion can be observed with local probes such as PDF. The resulting ambiguity has led to various differing interpretations of the experimental data for these lithium nickelates.

We present a study of NaNiO_2 using neutron total scattering and EXAFS as a function of temperature, along with neutron diffraction at elevated pressures, with the hope that a better understanding of NaNiO_2 may aid the understanding of the LiNiO_2 -based cathode materials. Additionally, we show advanced statistical analysis of the total scattering data using Rietveld analysis of a supercell.

Our results differ from prior works on LaMnO_3 , with differences in part attributed to the reduced degrees of freedom in NaNiO_2 due to the edge-sharing octahedra. We contextualise our findings in terms of theoretical and computational works, and make predictions for the lithium nickelates based on our results.

Primary author: NAGLE-COCCO, Liam (University of Cambridge)

Co-author: Dr DUTTON, Sian E (University of Cambridge)

Presenter: NAGLE-COCCO, Liam (University of Cambridge)

Session Classification: Energy Materials

Track Classification: Chemistry of Materials (Structure and Spectroscopy)