



Contribution ID: 68

Type: Poster

Tuning of protein adsorption on nanoparticles using oppositely charged surfactant and multi-valent ions

Tuesday, 21 March 2023 16:00 (2 hours)

The integration of the nanoparticles with proteins has a prime interest in the field of nanobiotechnology where these complexes are aimed to utilize for different applications such as targeted drug delivery, biosensing, etc [1]. The protein adsorption on nanoparticles is governed by several interactions such as hydrogen bonding, electrostatic complexation, hydrophobic attraction. Herein, the interaction of cationic lysozyme protein with the anionic Ludox HS40 silica nanoparticle has been tuned by anionic SDS surfactant and multi-valent $ZrCl_4$ ions in the multi-component soft matter system. The unique advantage of contrast matching SANS (bulk contrast, micelle contrast, and nanoparticle contrast) has been utilized to probe the role of individual components in the three-components system [2]. The results demonstrate that SDS induced preferential binding of the protein (lysozyme-SDS/lysozyme-HS40 nanoparticles) and the multivalent ion driven charge inversion of the nanoparticles/proteins can be utilized to create switching between the protein adsorption and non-adsorption. These parameters can also enable the control over the undesired protein adsorption and nanoparticle aggregation in the nanoparticle-protein systems [3].

References

1. M. Hadjidemetriou et al. Nat. Nanotechnol. 12, 288 (2017).
2. D. Saha et al. Soft Matter 18, 434 (2022).
3. S. Kumar et al. Appl. Phys. Lett. 118, 153701 (2021).

Primary author: SAHA, Debasish (FZ Juelich)

Presenter: SAHA, Debasish (FZ Juelich)

Session Classification: Poster session TUESDAY

Track Classification: Soft Condensed Matter