



Contribution ID: 119

Type: Poster

Annihilation-gamma spectra of magnetically confined positrons scattering, cooling, and forming positronium

Friday 6 December 2024 13:45 (3 hours)

We present the time and energy spectra of the annihilation gammas of magnetically confined positrons undergoing collisions and charge exchange with background gas, He, and CF_4 . The spectra are collected by a BGO (Bismuth Germanate) detectors in low-gain and high-gain mode. In high-gain mode, three detectors collect pile-up signals from timed electrostatic ejections. In low-gain mode, a 21-BGO (Bismuth Germanate) detector array situated in re-entrant ports 1 cm from the confinement volume detects $\sim 10,000$ gammas per shot. FPGA processing timestamps detections to 8 ns accuracy and records photon energy with 66 keV resolution. The spectra reveal elastic collision rates, inelastic cooling times, and a shift in the loss mechanism from positronium formation to collisional transport to the wall. This work opens the way for studying e^+ diffusion in inhomogeneous fields, as well as e^+ and positronium interactions with confined electrons and ions, which is essential for interpreting astrophysical and solar annihilation spectra.

Primary authors: VON DER LINDEN, Jens; DELLER, Adam (IPP); NISSEL, Stefan (IPP); SAITOH, Haruhiko (University of Tokyo); HIGAKI, Hiroyuki (Hiroshima University); MICHISHIO, Koji (National Institute of Advanced Industrial Science and Technology (AIST)); STENSON, E. V.

Presenter: VON DER LINDEN, Jens

Session Classification: Poster Session

Track Classification: Positrons