



Contribution ID: 173

Type: Poster

Low-temperature phase transitions in PrAlO₃–SrTiO₃ series

Monday, 17 September 2018 17:00 (15 minutes)

Phase and structural behaviour of the continuous perovskite solid solution Pr_{1-x}Sr_xAl_{1-x}Ti_xO₃ have been studied in the temperature range 20–295 K by high-resolution X-ray synchrotron powder diffraction. Superb characteristics of the beamline ID22@ESRF allows to detect either subtle splitting of the main perovskite maxima and/or appearance of weak superstructure reflections, thus proving diverse variants of perovskite structure existing in Pr_{1-x}Sr_xAl_{1-x}Ti_xO₃ series at different compositions and temperatures. It was revealed that the samples with $x = 0.1$ and 0.2 undergo a sequence of structural phase transitions R-3c–Immb–I2/m, similar to those observed for the parent PrAlO₃ phase. These LT transitions in praseodymium aluminate are unique among all RAlO₃ perovskites and are considered to be caused by the electronic effects involving Pr³⁺ ions, e.g. a coupling between Pr³⁺ electronic states and phonons and/or cooperative Jahn-Teller effects. It was established that temperatures of both R-3c–Immb and Immb–I2/m transitions in Pr_{1-x}Sr_xAl_{1-x}Ti_xO₃ series systematically decrease from 205 K and 151 K for PrAlO₃ to 170 K and 90 K for $x = 0.2$ sample. Quite different phase behaviour was observed in the SrTiO₃-rich part of the system. Simultaneous aliovalent substitution of Sr²⁺ and Ti⁴⁺ species by 10% Pr³⁺ and Al³⁺ ions increases the temperature of a Pm3m–I4/mcm transition from 105 K in SrTiO₃ to ~250 K in Pr_{0.1}Sr_{0.9}Al_{0.1}Ti_{0.9}O₃.

Primary authors: VASYLECHKO, Leonid (Lviv Polytechnic National University); Mr HREB, Vasyl (Lviv Polytechnic National University); Dr PROTS, Yurii (Max-Planck-Institut für Chemische Physik fester Stoffe); Dr CODURI, Mauro (ESRF - the European Synchrotron)

Presenter: SENYSHYN, Anatoliy

Session Classification: Poster session 1

Track Classification: P8 Functional materials and materials science